

**Minimum Equipment Replacement Criteria**

Cars and light trucks (up to and including 1 ton pickups trucks) replacement eligibility is determined by using the Replacement Eligibility Factor (**REF**) calculation. All other vehicle classes must use the standard Units (Miles or Hours) and Age (in months) table (page 3).

Vehicles with a minimum **REF** score of 300 points are deemed eligible for replacement. In addition, the criteria establishes maximum values, referred to as a "DROPEAD" values, for a vehicle's age and miles. Once a vehicle reaches a "DROPEAD" value it is automatically deemed eligible for replacement regardless of any other factors.

**REF** calculation:

**DROPEAD Age:** 12 years (standard vehicle)  
8 years (pursuit vehicle)

**DROPEAD Miles:** 120,000 (standard vehicle up to 1/2 Ton pickup)  
150,000 (3/4 & 1 Ton pickup)  
80,000 (pursuit vehicle)

1. Age in Years (using the greater of either Date in Service or Model Year (use June as the Model Year's month)) divided by DROPEAD Age.
  - if > 99.9% vehicle meets DROPEAD value based on age
  - or > 89.4% add 150 to REF
  - or > 74.4% add 125 to REF
  - or > 65.4% add 100 to REF
  - or > 49.4% add 75 to REF
  - or > 32.4% add 50 to REF
  - or > 24.4% add 25 to REF
2. Life Odometer divided by DROPEAD Miles.
  - if > 99.9% vehicle meets DROPEAD value based on miles
  - or > 89.4% ADD 150 to REF
  - or > 74.4% ADD 125 to REF
  - or > 65.4% ADD 100 to REF
  - or > 49.4% ADD 75 to REF
  - or > 32.4% ADD 50 to REF
  - or > 24.4% ADD 25 to REF
3. Using condition for last 12 months, for each month:
  - if W (Wrecked) or P (Poor) add 5 to REF
  - or B (Burned) add 10 to REF

Florida Department of Management Services  
Division of Specialized Services



Minimum Equipment Replacement Criteria

4. Divide days down (within past 12 months) by 232.
  - if > 99.4% add 140 to REF
  - or > 89.4% add 120 to REF
  - or > 74.4% add 100 to REF
  - or > 65.4% add 80 to REF
  - or > 49.4% add 60 to REF
  - or > 32.4% add 40 to REF
  - or > 24.4% add 20 to REF
  
5. Divide life time maintenance cost into acquisition cost.
  - if > 99.4% add 250 to REF
  - or > 89.4% add 200 to REF
  - or > 74.4% add 150 to REF
  - or > 65.4% add 100 to REF
  - or > 49.4% add 50 to REF
  
6. If last 12 months maintenance cost is greater than or equal to 25% of either the Acquisition cost or \$12,000 (which ever is greater) then Divide last 12 months of Maintenance cost into Life Maintenance Cost.
  - if > 99.4% subtract 200 from REF
  - or > 89.4% subtract 175 from REF
  - or > 74.4% subtract 150 from REF
  - or > 65.4% subtract 125 from REF
  - or > 49.4% subtract 100 from REF
  - or > 32.4% subtract 75 from REF
  - or > 24.4% subtract 50 from REF

if result of above calculation results in a negative number set REF to zero (0)
  
7. Excessive Cost Per Mile (using Life Cost Per Mile)
  - if > \$0.394 add 75 to REF
  - or > \$0.344 add 50 to REF
  - or > \$0.294 add 25 to REF
  
8. Status
  - if Totalled (EMIS Status code Z) REF is 999

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code                                     | Former Spec. Number | Description  | Representative Models   | Miles or Hours | Years |
|--|---------------------|--|---|----------------|-------|
| <b>Light Duty Trucks (in excess of 1 ton GVWR)</b> |                     |  |   |                |       |
| 070-650-010  | 7                   | Chassis Cab, Single Axle, 15,000 LBS. GVWR                                     | Chevr./GMC C-50/3500, Ford F Super Duty, F450, GMC 5000/C5H042/C5D042 | 100,000        | 10    |
| 070-650-010  | 7                   | Chassis Cab, Single Axle, 15,000 LBS. GVWR, Diesel                             | Chevr./GMC C-50/3500, Ford F Super Duty/F450, GMC 5000/C5H042/C5D042  | 120,000        | 10    |
| 070-650-015  | 7-HD                | Chassis Cab, Heavy Duty, Single Axle, 17,500 LBS. GVWR                         | Ford F550   | 120,000        | 10    |
| 070-650-015  | 7-HD                | Chassis Cab, Heavy Duty, Single Axle, 17,500 LBS. GVWR Diesel                  | Ford F550   | 150,000        | 12    |
| 070-650-020  | 7-CC                | Chassis Cab, Crew Cab, Single Axle, 15,000 LBS. GVWR                           | Ford 450  | 100,000        | 10    |
| 070-650-020  | 7-CC                | Chassis Cab, Crew Cab, Single Axle, 15,000 LBS. GVWR, Diesel                   | Ford F450   | 120,000        | 10    |
| 070-650-025  | 7 HD-CC             | Chassis Cab, Heavy Duty, Crew Cab, Single Axle, 17,500 LBS. GVWR               | Ford F550   | 120,000        | 10    |
| 070-650-025  | 7 HD-CC             | Chassis Cab, Heavy Duty, Crew Cab, Single Axle, 17,500 LBS. GVWR Diesel        | Ford F550   | 150,000        | 12    |
| 070-644-030  | 7A                  | Chassis Cab, Single Axle, 15,000 LBS. GVWR (4X4)                               | Ford F450, Chevr. C-50, GMC 5000                                      | 100,000        | 10    |
| 070-644-030  | 7A                  | Chassis Cab, Single Axle, 15,000 LBS. GVWR, Diesel (4X4)                       | Ford F450, Chevr. C-50, GMC 5000                                      | 120,000        | 10    |
| 070-644-032  | 7A-HD               | Chassis Cab, Heavy Duty, Single Axle, 17,500 LBS. GVWR (4X4)                   | Ford F550   | 120,000        | 10    |
| 070-644-032  | 7A-HD               | Chassis Cab, Heavy Duty, Single Axle, 17,500 LBS. GVWR, Diesel (4X4)           | Ford F550   | 150,000        | 12    |
| 070-644-035  | 7A-CC               | Chassis Cab, Crew Cab, Single Axle, 15,000 LBS. GVWR (4X4)                     | Ford F450   | 100,000        | 10    |
| 070-644-035  | 7A-CC               | Chassis Cab, Crew Cab, Single Axle, 15,000 LBS. GVWR Diesel (4X4)              | Ford F450   | 120,000        | 10    |
| 070-644-037  | 7A HD-CC            | Chassis Cab, Crew Cab, Heavy Duty, Single Axle, 17,500 LBS. GVWR               | Ford F550   | 120,000        | 10    |
| 070-700-100  | 8                   | Single Axle, Chassis-cab, 24,500-27,500 LBS. GVWR (Gas)                        | Ford F-600/700/800, GMC 60/70/C7H042                                  | 100,000        | 10    |
| 070-700-110  | 8-DT                | Dump Truck, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)                       | GMC C7H042, Ford F600/700/800   | 100,000        | 10    |
| 070-700-120  | 8-SB                | Stake Body Truck, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)                 | GMC C7H042, Ford F-600/700/800  | 100,000        | 10    |
| 070-644-037  | 7A HD-CC            | Chassis Cab, Crew Cab, Heavy Duty, Single Axle, 17,500 LBS. GVWR, Diesel (4X4) | Ford F550   | 150,000        | 12    |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code                    | Former Spec. Number | Description  | Representative Models  | Miles or Hours | Years |
|-----------------------------------|---------------------|--|--|----------------|-------|
| <b><u>Medium Trucks (4x2)</u></b> |                     |  |  |                |       |
| 070-700-130                       | 8-DF                | Dry Freight Truck, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)          | GMC C7H042, Ford F-600/700/800                                       | 100,000        | 10    |
| 070-700-200                       | 8D                  | Single Axle, Chassis-cab, 27,500-33,000 LBS. GVWR                        | Ford F700/800, GMC 70, Navistar 1754/1954                            | 150,000        | 10    |
| 070-700-210                       | 8CCD                | Single Axle, Chassis-cab, 27,500-33,000 LBS. GVWR                        | Ford F700/800, GMC 70, Navistar 1754/1954                            | 150,000        | 10    |
| 070-700-220                       | 8COE                | Single Axle, Chassis-cab, 27,500-33,000 LBS. GVWR                        | Ford C800/CF8000   | 150,000        | 10    |
| 070-700-230                       | 8D                  | Chassis-Cab, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)                | GMC C7H042, NI 4700 4X2, Sterling L8501/M6500, Ford F-800            | 150,000        | 10    |
| 070-700-235                       | 8CCD                | Chassis-Cab, Crew cab, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)      | GMC C7H042, NI 4700 4X2, Ford F-800                                  | 150,000        | 10    |
| 070-700-240                       | 8D-DT               | Dump Truck, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)                 | GMC C7H042, NI 4700 4X2, Sterling M6500, Ford F-800                  | 150,000        | 10    |
| 070-700-245                       | 8CCD-DT             | Dump Truck, Crew cab, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)       | GMC C7H042, NI 4700 4X2, Ford F-800                                  | 150,000        | 10    |
| 070-700-250                       | 8D-SB               | Stake Body Truck, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)           | GMC C7H042, NI 4700 4X2, Sterling L8501/M6500, Ford F-800            | 150,000        | 10    |
| 070-700-255                       | 8CCD-SB             | Stake Body Truck, Crew cab, Single Axle, Class 6, 24,500 LBS. GVWR (4x2) | GMC C7H042, NI 4700 4X2, Ford F-800                                  | 150,000        | 10    |
| 070-700-260                       | 8D-DF               | Dry Freight Truck, Single Axle, Class 6, 24,500 LBS. GVWR (4x2)          | GMC C7H042, NI 4700 4X2, Sterling L8501, M6500 Ford F-800            | 150,000        | 10    |
| 070-744-100                       | 8                   | Single Axle, Chassis-cab, 24,500-27,500 LBS. GVWR (4x4) (Gas)            | Ford F-600/700/800, GMC 60/70, Navistar 1654/1754                    | 100,000        | 10    |
| 070-744-200                       | 8D                  | Single Axle, Chassis-cab, 27,500-33,000 LBS. GVWR (4x4)                  | Ford F-700/800, GMC 70, Navistar 1754/1954                           | 150,000        | 10    |
| <b><u>Medium Trucks (4x4)</u></b> |                     |  |  |                |       |
| 070-744-210                       | 8CCD                | Single Axle, Chassis-cab, 27,500-33,000 LBS. GVWR (4x4)                  | Ford F-700/800, GMC 70, Navistar 1754/1954                           | 150,000        | 10    |
| <b><u>Heavy Trucks</u></b>        |                     |  |  |                |       |
| 070-700-300                       | 32                  | Tandem Axle, Chassis-cab, 33,001-50,000 LBS. GVWR                        | Ford LT/LNT 8000, GMC 70, NI F-1954/4900 6x4, Sterling LT8501, M8500 | 250,000        | 10*   |
| 070-700-300                       | 32                  | Tandem Axle, Chassis-cab, 33,001-50,000 LBS. GVWR (Gas)                  | Ford LT/LNT 800, GMC 70  | 100,000        | 10*   |
| 070-700-310                       | 32-HD               | Chassis-Cab, Tandem Axle, Class 8, 64,000 LBS. GVWR (6x4)                | NI 2554 6x4, Peterbilt 357, Sterling LT8501/LT7501 Volvo WG64F       | 250,000        | 10    |
| 070-700-400                       | 33                  | Tandem Axle, 8 Yd Dump Truck 50,000 LBS. GVWR                            | Ford LT/LNT 8000, GMC 70, NI F-2554/4900 6x4, Sterling LT8501/M8500  | 250,000        | 10    |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code                   | Former Spec. Number | Description  | Representative Models  | Miles or Hours | Years |
|----------------------------------|---------------------|--|--|----------------|-------|
| 070-700-450                      | 33-HD               | 12 Yard Dump Truck, Tandem Axle, Class 8, 64,000 LBS. GVWR (6x4) | NI 2554 6x4, Peterbilt 357, Sterling LT8501/LT7501 Volvo WG64F, Ford LNT 8000  | 250,000        | 10    |
| 070-700-498                      | 34-S                | Truck Tractor, Single Axle, Class 8, 50,000 LBS. GVWR (4x2)      | NI 4900 4X2, Sterling LT8501/17500   | 250,000        | 10    |
| 070-700-500                      | 34                  | Tandem Axle, Truck Tractor 80,000 LBS. GVWR                      | Ford LT/LTL 9000, GMC 90, Navistar F-2574, NI 2574 6x4, Peterbilt 385/357, Sterling LT9513/lt9500, Volvo WG64T 6x4                             | 300,000        | 10    |
| 070-700-500                      | 34                  | Tandem Axle, Truck Tractor 80,000 LBS. GVWR (Gas)                | Ford LT/LTL800, GMC 70   | 100,000        | 10    |
| 070-700-510                      | 34-HD               | Truck Tractor, Tandem Axle, Class 8, 120,000 LBS. GVWR (6x4)     | Autocar ACL64FT, NI 2574 6x4, Peterbilt 357, Sterling LT9513/9500, Ford LT 9000  | 300,000        | 10    |
| <b><u>Heavy Trucks (6x6)</u></b> |                     |  |  |                |       |
| 070-744-300                      | 32                  | Tandem Axle, Chassis-Cab, 33,001-50,000 LBS. GVWR (6x6)          | Ford LT/LNT 8000, GMC 70, Navistar F-1954  | 150,000        | 10*   |
| <b><u>Buses</u></b>              |                     |  |  |                |       |
| 070-350-100                      |                     | Buses (School Type) Gas & Diesel                                 | Ford B-600/700, GM S-50/60, Navistar 1753/1853   | 110,000        | 10    |
| 070-350-200                      |                     | Buses (Transit, City Type)                                       | Blue Bird  | 150,000        | 10    |
| 070-350-300                      |                     | Buses (Greyhound Type)   | Silver Eagle   | 250,000        | 10    |
| <b><u>Wheel Tractors</u></b>     |                     |  |  |                |       |
| 765-900-100                      | 55                  | 15 PTO HP @ 540 RPM  | Ford 1310, John Deere 750, Kubota B8200, Case IH 234   | 3,000(H)       | 8     |
| 765-900-200                      | 54                  | 21 PTO HP @ 540 RPM  | Case IH 254, Deere 870, Ford 1710, JD 850, Kubota L2900F, MF 1240/2, New Holland 1720  | 3,000(H)       | 8     |
| 765-900-205                      |                     | 23 PTO HP @ 540 RPM  | Massey Ferguson 1240/2WD/Turf  | 3,000(H)       | 8     |
| 765-900-210                      |                     | 23 PTO HP @ 540 RPM  | Massey Ferguson 1240/4WD/AG  | 3,000 (H)      | 8     |
| 765-900-215                      |                     | 23 PTO HP @ 540 RPM  | Massey Ferguson 1240/4WD/Turf  | 3,000 (H)      | 8     |
| 765-900-220                      |                     | 27 PTO HP @ 540 RPM  | Massey Ferguson 1250/2WD/AG  | 3,000 (H)      | 8     |
| 765-900-225                      |                     | 27 PTO HP @ 540 RPM  | Massey Ferguson 1250/2WD/Turf  | 3,000(H)       | 8     |
| 765-900-230                      |                     | 27 PTO HP @ 540 RPM  | Massey Ferguson 1250/2WD/AG  | 3,000 (H)      | 8     |
| 765-900-235                      |                     | 27 PTO HP @ 540 RPM  | Massey Ferguson 1250/4WD/Turf  | 3,000 (H)      | 8     |
| 765-900-240                      |                     | 25 PTO HP @ 540 RPM  | Massey Ferguson 1235/Hydrostatic/4WD/AG  | 3,000 (H)      | 8     |
| 765-900-245                      |                     | 25 PTO HP @ 540 RPM  | Massey Ferguson 1235/Hydrostatic/4WD/Turf  | 3,000 (H)      | 8     |
| 765-900-250                      | 53                  | 30 PTO HP @ 540 RPM  | Ford 3000, Massey Ferguson 1260/4WD/AG   | 3,000(H)       | 8     |
| 765-900-255                      |                     | 33 PTO HP @ 540 RPM  | Massey Ferguson 1260/4WD/Turf  | 3,000 (H)      | 8     |
| 765-900-260                      |                     | 27 PTO HP @ 540 RPM  | New Holland TC33D, Hydrostatic   | 3,000 (H)      | 8     |
| 765-900-300                      | 52                  | 34/38 PTO HP @ 540 RPM   | Case IH 485/C50, John Deere 1070, Ford 3910, John Deere 1250, Kubota L4200F, Massey Ferguson 231/2, New Holland 3415, Massey Ferguson 231S/2AG | 3,000(H)       | 8     |
| 765-900-310                      |                     | 47 PTO HP @ 540 RPM  | Massey Ferguson 243/2WD  | 3,000 (H)      | 8     |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code | Former Spec. Number | Description                                   | Representative Models   | Miles or Hours | Years |
|----------------|---------------------|---|---|----------------|-------|
| 765-900-315    |                     | 47 PTO HP @ 540 RPM                           | Massey Ferguson 243/4WD   | 3,000 (H)      | 8     |
| 765-900-320    |                     | 53 PTO HP @ 540 RPM                           | Massey Ferguson 263/2WD   | 3,000 (H)      | 8     |
| 765-900-325    |                     | 53 PTO HP @ 540 RPM                           | Massey Ferguson 263/4WD   | 3,000 (H)      | 8     |
| 765-900-350    | 57                  | LCG Turf Tractor, 38 PTO HP @ 540 RPM         | Ford 3000   | 3,000(H)       | 8     |
| 765-900-375    | 51                  | 45 PTO HP @ 540 RPM                           | Massey Ferguson 30, Ford 5000   | 4,000(H)       | 10    |
| 765-900-400    | 56                  | LCG Turf Tractor, 52 PTO HP @ 540 RPM         | John Deere 2350, Ford 4610/4000   | 4,000(H)       | 10    |
| 765-900-500    | 50                  | 55 PTO HP @ 540 RPM                           | Case IH 685/C70, John Deere 5310, Ford 5610, John Deere 2350, Kubota M6800, MF 175/4225/2, New Holland 4835                   | 4,000(H)       | 10    |
| 765-900-502    | 50A                 | Wheel Tractor, Cab Model, 55 PTO HP @ 540 RPM | Case IH CX70, John Deere 5310, MF 4225/2, New Holland 4835  | 4,000(H)       | 10    |
| 765-900-505    |                     | 55 PTO HP @ 540 RPM                           | Massey Ferguson 4225/4WD/ROPS   | 3,000 (H)      | 8     |
| 765-900-507    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4233/2WD/ROPS   | 3,000 (H)      | 8     |
| 765-900-510    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4235/2WD/ROPS   | 3,000 (H)      | 8     |
| 765-900-512    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4233/4WD/ROPS   | 3,000 (H)      | 8     |
| 765-900-515    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4235/4WD/ROPS   | 3,000 (H)      | 8     |
| 765-900-520    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson John Deere 6110   | 3,000 (H)      | 8     |
| 765-900-550    | 50A                 | 55 PTO HP @ 540 RPM                           | Massey Ferguson 4225/2WD/Cab, John Deere 5310, New Holland TL70   | 3,000 (H)      | 8     |
| 765-900-555    |                     | 55 PTO HP @ 540 RPM                           | Massey Ferguson 4225/4WD/Cab  | 3,000 (H)      | 8     |
| 765-900-557    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4233/4WD/Cab  | 3,000 (H)      | 8     |
| 765-900-560    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4235/2WD/Cab  | 3,000 (H)      | 8     |
| 765-900-563    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4233/4WD/Cab  | 3,000 (H)      | 8     |
| 765-900-565    |                     | 65 PTO HP @ 540 RPM                           | Massey Ferguson 4235/4WD/Cab  | 3,000 (H)      | 8     |
| 765-900-570    |                     | 65 PTO HP @ 540 RPM                           | John Deere 6110   | 3,000 (H)      | 8     |
| 765-900-600    | 60                  | 70/72 PTO HP @ 540 RPM                        | Case IH 885/C90, John Deere 5510, Ford 6610, John Deere 2750/401, Kubota M8030F, Massey Ferguson 265/4245/2, New Holland TS90 | 4,000(H)       | 10    |
| 765-900-602    | 60A                 | Wheel Tractor, Cab Model, 70 PTO HP @ 540 RPM | Case IH CX90, John Deere 5510, MF 4245/2, New Holland TS90  | 4,000(H)       | 10    |
| 765-900-605    |                     | 70 PTO HP @ 540 RPM                           | John Deere 6210   | 4,000 (H)      | 10    |
| 765-900-610    | 61                  | Wheel Tractor, 85 PTO HP @ 540 RPM            | Case MX100, John Deere 6410, MF 4263/2, New Holland TS110   | 4,000(H)       | 10    |
| 765-900-612    | 61A                 | Wheel Tractor, Cab Model, 85 PTO HP @ 540 RPM | Case MX100, John Deere 6410, MF 4263/2, New Holland TS110   | 4,000(H)       | 10    |
| 765-900-615    |                     | 80 PTO HP @ 540 RPM                           | John Deere 6310   | 4,000 (H)      | 10    |
| 765-900-650    | 60A                 | 70 PTO HP @ 540 RPM                           | Massey Ferguson 4245/2WD/Cab, John Deere 5510, New Holland TS90   | 4,000 (H)      | 10    |
| 765-900-655    |                     | 70 PTO HP @ 540 RPM                           | Massey Ferguson 4245/4WD/Cab  | 4,000 (H)      | 10    |
| 765-900-660    |                     | 75 PTO HP @ 540 RPM                           | Massey Ferguson 4243/2WD/Cab, New Holland 6635  | 4,000 (H)      | 10    |
| 765-900-665    |                     | 75 PTO HP @ 540 RPM                           | Massey Ferguson 4243/4WD/Cab  | 4,000 (H)      | 10    |
| 765-900-670    |                     | 70 PTO HP @ 540 RPM                           | John Deere 6210   | 4,000 (H)      | 10    |
| 765-900-675    |                     | 80 PTO HP @ 540 RPM                           | John Deere 6310, New Holland TS100  | 4,000 (H)      | 10    |
| 765-900-700    | 61                  | 85/100 PTO HP @ 540/1000 RPM                  | Ford TW-5, John Deere 4050, Case 2096, Massey Ferguson 4263/2WD/ROPS, New Holland TS110                                       | 5,000(H)       | 12    |
| 765-900-705    |                     | 85 PTO HP @ 540 RPM                           | Massey Ferguson 4263/4WD/ROPS   | 5,000 (H)      | 12    |
| 765-900-710    |                     | 85 PTO HP @ 540 RPM                           | Massey Ferguson 4253/2WD/ROPS   | 5,000 (H)      | 12    |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code       | Former Spec. Number | Description                      | Representative Models                             | Miles or Hours | Years |
|----------------------|---------------------|----------------------------------|---|----------------|-------|
| 765-900-715          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4253/4WD/ROPS                     | 5,000 (H)      | 12    |
| 765-900-720          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4255/2WD/ROPS                     | 5,000 (H)      | 12    |
| 765-900-725          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4255/4WD/ROPS                     | 5,000 (H)      | 12    |
| 765-900-730          |                     | 95 PTO HP @ 540 RPM              | Massey Ferguson 4270/2WD/ROPS                     | 5,000 (H)      | 12    |
| 765-900-735          |                     | 95 PTO HP @ 540 RPM              | Massey Ferguson 4270/4WD/ROPS                     | 5,000 (H)      | 12    |
| 765-900-740          |                     | 100 PTO HP @ 540 RPM             | New Holland 8260                                  | 6,000 (H)      | 12    |
| 765-900-745          |                     | 115 PTO HP @ 540 RPM             | New Holland 8360                                  | 6,000 (H)      | 12    |
| 765-900-800          | 61 A                | 85/100 PTO HP @ 540 RPM          | Massey Ferguson 4263/2WD/Cab, New Holland TS110   | 6,000(H)       | 12    |
| 765-900-805          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4263/4WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-810          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4263/2WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-815          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4253/4WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-820          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4255/2WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-825          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 4255/4WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-830          |                     | 95 PTO HP @ 540 RPM              | Massey Ferguson 4270/2WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-835          |                     | 95 PTO HP @ 540 RPM              | Massey Ferguson 4270/4WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-840          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 6255/2WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-845          |                     | 85 PTO HP @ 540 RPM              | Massey Ferguson 6255/4WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-850          |                     | 95 PTO HP @ 540 RPM              | Massey Ferguson 6255/2WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-855          |                     | 95 PTO HP @ 540 RPM              | Massey Ferguson 6265/4WD/Cab                      | 5,000 (H)      | 12    |
| 765-900-860          |                     | 100 PTO HP @ 540 RPM             | Massey Ferguson 6270/2WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-865          |                     | 100 PTO HP @ 540 RPM             | Massey Ferguson 6270/4WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-870          |                     | 115 PTO HP @ 540 RPM             | New Holland 8360                                  | 6,000 (H)      | 12    |
| 765-900-875          |                     | 135 PTO HP @ 540 RPM             | Massey Ferguson 8220/2WD/Cab, New Holland 8560    | 6,000 (H)      | 12    |
| 765-900-880          |                     | 135 PTO HP @ 540 RPM             | Massey Ferguson 8220/4WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-885          |                     | 145 PTO HP @ 540 RPM             | Massey Ferguson 8240/2WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-890          |                     | 145 PTO HP @ 540 RPM             | Massey Ferguson 8240/4WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-895          |                     | 165 PTO HP @ 540 RPM             | Massey Ferguson 8250/2WD/Cab                      | 6,000 (H)      | 12    |
| 765-900-900          |                     | 165 PTO HP @ 540 RPM             | Massey Ferguson 8250/4WD/Cab                      | 6,000 (H)      | 12    |
| <b><u>Mowers</u></b> |                     |                                  |   |                |       |
| 765-430-100          | 70                  | Flail, Centered, Lift Type, 72"  | Cartner CR-74-F, Mott 74, Alamo SHD 74            | -              | 5     |
| 765-430-105          |                     | Flail, Centered, Lift Type, 88"  | Alamo SHD 88                                      | -              | 5     |
| 765-430-110          |                     | Flail, Centered, Lift Type, 96"  | Alamo SHD 96                                      | -              | 5     |
| 765-430-115          |                     | Flail, Centered Lift Type, 60"   | Alamo AT60  | -              | 5     |
| 765-430-120          | 71                  | Flail, Off-set, Lift Type, 72"   | Ford 917A, Mott 74                                | -              | 5     |
| 765-430-125          |                     | Flail, Centered, Lift Type, 74"  | Alamo AT74  | -              | 5     |
| 765-640-100          | 75                  | Rotary Cutter, Lift Type, 80/90" | Alamo A72HD, Bush Hog 406RW, TK-80/90, Woods MD80 | -              | 5     |
| 765-640-105          | 75B                 | Rotary Cutter, Lift Type, 80/90" | Woods MD80  | -              | 5     |



**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code         | Former Spec. Number | Description   | Representative Models   | Miles or Hours | Years |
|------------------------|---------------------|---|---|----------------|-------|
| 765-640-110            | 76                  | Rotary Cutter, Pull Type, 72/80/90"                       | Bush Hog 406RW/406-03, TK-80/90, Woods D80  | -              | 5     |
| 765-640-115            | 76B                 | Rotary Cutter, Pull Type, 80/90"                          | Woods D80   | -              | 5     |
| 765-640-130            |                     | Rotary Cutter, Lift Type, 72"                             | Alamo A72HD   | -              | 5     |
| 765-640-135            |                     | Rotary Cutter, Lift Type, 60"                             | Alamo A60   | -              | 5     |
| 765-640-140            |                     | Rotary Cutter, Lift Type, 72"                             | Alamo A72   | -              | 5     |
| 765-640-145            |                     | Rotary Cutter, Lift Type, 60"                             | Alamo A60B  | -              | 5     |
| 765-640-150            |                     | Rotary Cutter, Lift Type, 72"                             | Alamo A72B  | -              | 5     |
| 765-640-155            |                     | Rotary Cutter, Lift Type, 84"                             | Alamo A84B  | -              | 5     |
| 765-640-160            |                     | Rotary Cutter, Lift Type, 96"                             | Alamo A96B  | -              | 5     |
| 765-640-165            |                     | Rotary Cutter, Lift Type, 60"                             | Alamo Hydro 60  | -              | 5     |
| 765-640-170            |                     | Rotary Cutter, Lift Type, 72"                             | Alamo Hydro 72  | -              | 5     |
| 765-640-330            | 78                  | Rotary Cutter, Pull Type, 10 Foot                         | Alamo 10-IV, Bush Hog 2610/3610, John Deere 1518-10, TK-10HD, Woods 10 Foot Batwing | -              | 5     |
| 765-640-430            | 78H                 | Hydraulically Driven Rotary Cutter, Pull Type, Ten Foot   | Alamo Hydro 10  | -              | 5     |
| 765-640-440            | 79                  | Heavy-Duty Rotary Cutter, Pull Type, 15 Foot              | Alamo 15-IV, Bush Hog 3615, John Deere 1518   | -              | 5     |
| 765-640-445            |                     | Rotary Cutter, Pull Type, 20 Foot                         | Alamo A 20-IV, John Deere 2018  | -              | 5     |
| 765-640-550            | 79H                 | Rotary Cutter, Pull Type, 15 Foot                         | Bush Hog 2615, TK-15HD, Woods 15 Foot Batwing, Alamo Hydro 15                       | -              | 5     |
| 765-650-102            | BM-17               | 17 Foot Boom Mower and Tractor Combination                | Alamo 17 Foot A-Boom, Motrim LMT-17 A, Tiger 17 Foot Boom Mower                     | -              | 5     |
| 765-650-105            |                     | 20 Foot Boom Mower and Tractor Combination                | Alamo AB20  | -              | 5     |
| 765-650-110            |                     | 23 Foot Boom Mower and Tractor Combination                | Alamo AB23  | -              | 5     |
| 765-650-115            |                     | 17 Foot Boom Mower and Tractor Combination                | Alamo 17 Versa Boom   | -              | 5     |
| 765-650-120            |                     | 20 Foot Boom Mower and Tractor Combination                | Alamo 20 Versa Boom   | -              | 5     |
| 765-650-125            |                     | 23 Foot Boom Mower and Tractor Combination                | Alamo 23 Versa Boom   | -              | 5     |
| 765-650-200            | A-28                | 28 Foot Boom Mower and Tractor Combination                | Alamo 28' A-Boom, Motrim 28-5R  | -              | 5     |
| 765-650-210            |                     | 28 Foot Slope Mower and Tractor Combination               | Alamo Slope Mower 28  | -              | 5     |
| <b><u>Trailers</u></b> |                     |   |   |                |       |
| 070-740-100            |                     | Mobile Homes and Offices                                  | Fiesta, Fleetwood, Concord  | -              | 15    |
| N/A                    |                     | Utility Trailers, 1,000 to 5,000 LBS. Capacity            | Crosley, Others   | -              | 10    |
| 070-780-010            |                     | Trailer, Tilt Bed, Pintle Hitch, 10 Ton Capacity          | Crosley, Custom, Eager Beaver, Trail King   | -              | 12    |
| 070-780-020            |                     | Trailer, Pintle Hitch, 10 Ton Capacity Capacity           | Crosley, Custom, Eager Beaver, Trail King   | -              | 12    |
| 070-780-030            |                     | Trailer, Low Bed, Level Deck, Fifth Wheel                 | Wallace   | -              | 12    |
| 070-780-100            |                     | Lowboy Trailer, Fifth Wheel, 25 Ton Capacity              | Wallace   | -              | 12    |
| 070-780-105            |                     | Lowboy Trailer, Fifth Wheel, 30 Ton Capacity              | Wallace   | -              | 12    |
| 070-780-110            |                     | Lowboy Trailer, Fifth Wheel, 40 Ton Capacity              | Wallace   | -              | 12    |
| 070-780-115            |                     | Lowboy Trailer, Fifth Wheel, Triple Axle, 40 Ton Capacity | Wallace   | -              | 12    |



**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| <b>Commodity Code</b>                                 | <b>Former Spec. Number</b> | <b>Description</b>   | <b>Representative Models</b>           | <b>Miles or Hours</b> | <b>Years</b> |
|---|----------------------------|--|--|-----------------------|--------------|
| 070-780-120   |                            | Lowboy Trailer, Fifth Wheel, Triple Axle, 50 Ton Capacity                  | Wallace                                | -                     | 12           |
| 070-780-125   |                            | Lowboy Trailer, Paver's Special, Fifth Wheel, 25 Ton Capacity              | Wallace                                | -                     | 12           |
| 070-780-130   |                            | Lowboy Trailer, Paver's Special, Fifth Wheel, 30 Ton Capacity              | Wallace                                | -                     | 12           |
| 070-780-135   |                            | Lowboy Trailer, Paver's Special, Fifth Wheel, 35 Ton Capacity              | Wallace                                | -                     | 12           |
| 070-780-140   |                            | Lowboy Trailer, Paver's Special, Fifth Wheel, 40 Ton Capacity              | Wallace                                | -                     | 12           |
| 070-780-145   |                            | Lowboy Trailer, Paver's Special, Triple Axle, Fifth Wheel, 40 Ton Capacity | Wallace                                | -                     | 12           |
| 070-780-150   |                            | Lowboy Trailer, Paver's Special, Fifth Wheel, 50 Ton Capacity              | Wallace                                | -                     | 12           |
| 070-780-155   |                            | Lowboy Trailer, Detachable, Fifth Wheel, 35 Ton Capacity                   | Wallace                                | -                     | 12           |
| 070-780-160   |                            | Lowboy Trailer, Detachable, Fifth Wheel, 40 Ton Capacity                   | Wallace                                | -                     | 12           |
| 070-780-165   |                            | Lowboy Trailer, Detachable, Triple Axle, Fifth Wheel, 40 Ton Capacity      | Wallace                                | -                     | 12           |
| 070-780-170   |                            | Lowboy Trailer, Detachable, Triple Axle, Fifth Wheel, 50 Ton Capacity      | Wallace                                | -                     | 12           |
| 070-780-175   |                            | Lowboy Trailer, Detachable, Triple Axle, Fifth Wheel, 60 Ton Capacity      | Wallace                                | -                     | 12           |
| 070-780-200   |                            | Equip. Trailer 8,000-24,000 LBS. Capacity                                  | Toteall, Crosley, Texas                | -                     | 12           |
| 070-780-300   |                            | Lowboy Trailers 20-50 Ton Capacity   | Alabama, Chancey, Witco, Phelan        | -                     | 12           |
| 070-780-400   |                            | Van Trailers   | Dorsey, Fruehauf                       | -                     | 12           |
| 120-860-100   |                            | Galvanized Boat Trailers   | Gator, Magic-Tilt                      | -                     | 6            |
| <b><u>Marine</u></b>                                  |                            |  |  |                       |              |
| 120-280-100   |                            | Boats, Aluminum (Law Enforcement)  | Mako, Pro-Line, Monark                 | -                     | 6            |
| 120-280-200   |                            | Boats, Fiberglass (Law Enforcement)  | Mako, Pro-Line, Monark                 | -                     | 6            |
| 120-280-300   |                            | Boats, Aluminum (Utility-Work)   | Monark, Lowe                           | -                     | 8            |
| 120-280-400   |                            | Boats, Fiberglass (Utility-Work)   | Sportcraft, Boston Whaler              | -                     | 8            |
| 120-440-100   |                            | Outboard Marine Engines  | Mercury, Evinrude, Johnson, OMC        | 1,000(H)              | 6            |
| <b><u>3 &amp; 4 Wheel Utility/ATC, Motorcycle</u></b> |                            |  |  |                       |              |
| 120-440-200   |                            | Inboard/Outboard Engines   | Merc-Cruiser, OMC                      | 1,500(H)              | 6            |
| 120-440-300   |                            | Inboard Engines (Diesel)   | Perkins, Detroit, Cummins, Caterpillar | 2,500(H)              | 8            |
| 070-560-100   |                            | Motorcycle FHP Police Special  | Kawasaki, Harley Davidson              | 36,000                | 4            |
| 070-560-650   |                            | Police Motorcycle, 2-Wheel, 998CC Gasoline Engine                          | Kawasaki                               | 36,000                | 4            |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| <b>Commodity Code</b> | <b>Former Spec. Number</b> | <b>Description</b>  | <b>Representative Models</b>             | <b>Miles or Hours</b> | <b>Years</b> |
|-----------------------|----------------------------|---|--|-----------------------|--------------|
| 070-560-660           |                            | Police Motorcycle, 2-Wheel, 1340CC Gasoline Engine                        | Harley-Davidson                          | 36,000                | 4            |
| 070-840-100           |                            | Three/Four Wheel Utility Electric   | Taylor-Dunn, Cushman, E-Z Go             | 1,200(H)              | 4            |
| 070-840-200           |                            | Three/Four Wheel Utility Gas (off-road)                                   | Taylor-Dunn, Cushman, E-Z Go             | 1,200(H)              | 4            |
| 070-840-300           |                            | Three Wheel Utility Gas, On-Road  | Cushman                                  | 1,200(H)              | 4            |
| 070-840-320           |                            | Utility Police Vehicle, On-Road, Three Wheel, Gasoline, 1200 LBS. Payload | Cushman                                  | 1,200(H)              | 4            |
| 070-840-322           |                            | Utility Vehicle, On-Road, Three Wheel, Electric, 700 LBS. Payload         | Cushman                                  | 1,200(H)              | 4            |
| 070-840-370           |                            | Utility Vehicle, On-Road, Three Wheel, Electric, 700 LBS. Payload         | Cushman                                  | 1,200(H)              | 4            |
| 070-840-400           |                            | Utility Vehicle, Off-Road, Four Wheel, Gasoline, 1200 LBS. Payload        | Club Car, Cushman, E-Z-Go, Jacobsen      | 1,200(H)              | 4            |
| 070-840-402           |                            | Utility Vehicle, Off-Road, Four Wheel, Gasoline, 1200 LBS. Payload        | Club Car, Cushman, E-Z-Go, Toro Workman  | 1,200(H)              | 4            |
| 070-840-404           |                            | Utility Vehicle, Off Road, Four Wheel, Gasoline, 800 LBS.                 | E-Z-Go, Club Car                         | 1,200(H)              | 4            |
| 070-840-450           |                            | Utility Vehicle, Off Road, Four Wheel, Gasoline, 1,200 LBS. Payload       | Club Car, E-Z-Go                         | 1,200(H)              | 4            |
| 070-840-500           |                            | Utility Vehicle, Off-Road, Three Wheel, Gasoline, 1500 LBS. Payload       | Cushman, E-Z-Go, Jacobsen                | 1,200(H)              | 4            |
| 070-840-550           |                            | Utility Vehicle, Off Road, Four Wheel, Gasoline, 2,000 LBS. Payload       | Cushman, Toro Workman                    | 1,200(H)              | 4            |
| 070-840-600           |                            | Utility Vehicle, Off Road, Four Wheel, Gasoline, 2,500 LBS. Payload       | Cushman, Toro Workman                    | 1,200(H)              | 4            |
| 070-840-900           |                            | Utility Vehicle, Off-Road, Four Wheel, Electric, 800 LBS. Payload         | Club Car, Cushman, E-Z-Go                | 1,200(H)              | 4            |
| 070-840-902           |                            | Utility Vehicle, Off Road, Four Wheel, Electric, 800 LBS. Payload         | E-Z-Go, Club Car                         | 1,200(H)              | 4            |
| 070-850-400           |                            | Personnel Vehicle, Four Wheel, Gasoline                                   | Club Car, E-Z-Go                         | 1,200(H)              | 4            |
| 070-850-402           |                            | Personnel Vehicle, Four Wheel, Gasoline                                   | Club Car                                 | 1,200(H)              | 4            |
| 070-850-500           |                            | Personnel Vehicle, Six Passenger, Four Wheel, Gasoline                    | Club Car, E-Z-Go                         | 1,200(H)              | 4            |
| 070-850-502           |                            | Personnel Vehicle, Four Wheel, Gasoline                                   | Club Car                                 | 1,200(H)              | 4            |
| 070-850-600           |                            | Personnel Vehicle, Four Passenger, Four Wheel, Electric                   | Club Car, E-Z-Go                         | 1,200(H)              | 4            |
| 070-850-602           |                            | Personnel Vehicle, Four Wheel, Electric                                   | Club Car                                 | 1,200(H)              | 4            |
| 070-850-700           |                            | Personnel Vehicle, Six Passenger, Four Wheel, Electric                    | Club Car, E-Z-Go                         | 1,200(H)              | 4            |
| 070-850-702           |                            | Personnel Vehicle, Four Wheel, Electric                                   | Club Car                                 | 1,200(H)              | 4            |
| 070-880-100           |                            | Four Wheel ATC (4x2)  | Honda, Yamaha, Suzuki                    | 1,200(H)              | 4            |
| 070-880-200           |                            | Four Wheel ATC (4x4)  | Honda, Yamaha, Suzuki                    | 1,200(H)              | 4            |
| 070-880-400           |                            | All Terrain Vehicle, Four Wheel, Gasoline (4x2)                           | Honda, Kawasaki, Suzuki, Yamaha, Polaris | 1,200(H)              | 4            |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| <b>Commodity Code</b>                    | <b>Former Spec. Number</b> | <b>Description</b>  | <b>Representative Models</b>   | <b>Miles or Hours</b> | <b>Years</b> |
|--|----------------------------|---|--|-----------------------|--------------|
| 070-880-402                              |                            | All Terrain Vehicle, Four Wheel, Gasoline                           | Honda  | 1,200(H)              | 4            |
| 070-880-420                              |                            | All Terrain Utility Vehicle, Four Wheel, Gasoline (4x2)             | Kawasaki   | 1,200(H)              | 4            |
| 070-880-600                              |                            | All Terrain Vehicle, Four Wheel, Gasoline (4x4)                     | Honda, Yamaha, Polaris, Kawasaki   | 1,200(H)              | 4            |
| 070-880-602                              |                            | All Terrain Vehicle, Four Wheel, Gasoline (4x4)                     | Kawasaki, Suzuki   | 1,200(H)              | 4            |
| 070-880-620                              |                            | All Terrain Utility Vehicle, Four Wheel, Gasoline (4x4)             | Kawasaki   | 1,200(H)              | 4            |
| 070-880-650                              |                            | All Terrain, Vehicle, Four Wheel, Gasoline, 4x4                     | Kawasaki, Polaris  | 1,200(H)              | 4            |
| 070-880-652                              |                            | All Terrain Vehicle, Gasoline 4x4                                   | Polaris  | 1,200(H)              | 4            |
| 070-880-800                              |                            | All Terrain Utility Vehicle, Six Wheel, Gasoline, 1200 LBS. Payload | John Deere   | 1,200(H)              | 4            |
| 070-880-802                              |                            | All Terrain Vehicle, Six Wheel, Diesel, 4,400 LBS. Payload 6x4      | John Deere   | 1,200(H)              | 4            |
| 070-880-900                              |                            | Amphibious Utility Vehicle, Six Wheel, Gasoline, 6x6                | Argo Vanguard  | 1,200(H)              | 4            |
| 070-880-902                              |                            | Amphibious Utility Vehicle, six Wheel, Gasoline, 6x6                | Argo Bigfoot   | 1,200(H)              | 4            |
| 070-880-950                              |                            | Amphibious Utility Vehicle, Eight Wheel, Gasoline, 8x8              | Argo Conquest  | 1,200(H)              | 4            |
| 070-880-952                              |                            | Amphibious Utility Vehicle, Eight Wheel, Gasoline, 8x8              | Argo Centaur   | 1,200(H)              | 4            |
| 070-880-954                              |                            | Amphibious Utility Vehicle, Eight Wheel, Diesel, 8x8                | Argo Centaur   | 1,200(H)              | 4            |
| 070-880-975                              |                            | All Terrain Utility, Eight Wheel, Gasoline, 8x8                     | Cushman  | 1,200(H)              | 4            |
| <b>Construction/Industrial Equipment</b> |                            |   |  |                       |              |
| 020-230-100                              |                            | Bulk Distributor Truck  | Conibear   | 4,000(H)              | 5            |
| 020-660-100                              |                            | Soil Mixer, Self-Propelled  | Rex  | 5,000(H)              | 10           |
| 025-030-100                              |                            | Air Compressor  | Joy, Sullair, Leroi  | 4,000(H)              | 10           |
| 065-730-100                              |                            | Waste Compactor   | Wayne Pup II   | 4,000(H)              | 8            |
| 560-650-250                              |                            | Forklift Truck, Cushion Tire, 2,500 LBS. Capacity                   | Caterpillar T25D/GC15, Hyster S30XM, Komatsu FG15ST-15, Nissan C30K, TCM FCG 15T8, Yale GC25/GC 030BF,GC030AF                        | 4,000(H)              | 10           |
| 560-650-255                              |                            | Forklift Truck, Cushion Tire, 3,500 LBS. Capacity                   | Nissan JC35  | 4,000(H)              | 10           |
| 560-650-260                              |                            | Forklift Truck, Cushion Tire, 4,000LBS. Capacity                    | Yale GC 040 AF, Nissan JC40  | 4,000(H)              | 10           |
| 560-650-300                              |                            | Forklift Truck, Pneumatic Tire, 3,000 LBS. Capacity                 | Yale GC 030BF, Daewoo G 15S  | 4,000(H)              | 10           |
| 560-650-305                              |                            | Forklift Truck, Pneumatic Tire, 3,500 LBS. Capacity                 | Daewoo G 18S   | 4,000(H)              | 10           |
| 560-650-310                              |                            | Forklift Truck Pneumatic Tire, 4,000 LBS. Capacity                  | Yale GP 040 AF   | 4,000(H)              | 10           |
| 560-650-350                              |                            | Forklift Truck, Cushion Tire, Electric, 3,500 LBS. Capacity         | Caterpillar F-35/EP18T, Clark TM17, Crown 35SC, Hyster J35XMT, Nissan OT35, TCM FTB18S2, Yale ERP035TF, Daewoo BC 18T                | 4,000(H)              | 10           |
| 560-650-355                              |                            | Forklift Truck, Cushion Tire, Electric, 3,000 LBS. Capacity         | Daewoo BC 15T  | 4,000(H)              | 10           |
| 560-650-360                              |                            | Forklift Truck, Cushion Tire, Electric, 4,000 LBS. Capacity         | Yale ERP 040TF, Daewoo BC 20T  | 4,000(H)              | 10           |
| 560-650-500                              | 95C                        | Forklift Truck, Cushion Tire, 5,000 LBS. Capacity                   | Caterpillar T500/GC25, Clark GCS/DCS25, Daewoo GC25S, Hyster S50XM, Nissan C50K/JC50, TCM FCG-25N6/FCG 25T7, Yale GC 050RF/GC 050RG. | 4,000(H)              | 10           |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code | Former Spec. Number | Description   | Representative Models  | Miles or Hours | Years |
|----------------|---------------------|---|--|----------------|-------|
| 560-650-505    |                     | Forklift Truck, Cushion Tire, 5,500 LBS. Capacity   | Hyster S55XM   | 4,000(H)       | 10    |
| 560-650-510    |                     | Forklift Truck, Cushion Tire, 6,000 LBS. Capacity   | Hyster S60SM/S60XM, Daewoo BC 20T, Nissan JC60   | 4,000(H)       | 10    |
| 560-650-515    |                     | Forklift Truck, Cushion Tire, 6,500 LBS. Capacity   | GC 065TG, Hyster S65XM   | 4,000(H)       | 10    |
| 560-650-520    |                     | Forklift Truck, Cushion Tire, 7,000 LBS. Capacity   | Yale GC 070LG  | 4,000(H)       | 10    |
| 560-650-525    |                     | Forklift Truck, Cushion Tire, 8,000 LBS. Capacity   | Yale GC 080LG, Nissan JC80   | 4,000(H)       | 10    |
| 560-650-530    |                     | Forklift Truck, Cushion Tire, 10,000 LBS. Capacity  | Yale GC 100MG  | 4,000(H)       | 10    |
| 560-650-550    |                     | Forklift Truck, Pneumatic Tire, 5,000 LBS. Capacity | Yale GP 050RG, Daewoo G 25E/ G-25S, Hyster H50XM, Nissan JP50  | 4,000(H)       | 10    |
| 560-650-555    |                     | Forklift Truck, Pneumatic Tire, 5,000 LBS. Capacity | Nissan AP50J   | 4,000(H)       | 10    |
| 560-650-560    |                     | Forklift Truck, Pneumatic Tire, 5,500 LBS. Capacity | Hyster H55XM   | 4,000(H)       | 10    |
| 560-650-565    |                     | Forklift Truck, Pneumatic Tire, 6,000 LBS. Capacity | Yale GP 060TG, Daewoo G 30E, Hyster H60XM, Nissan JP60   | 4,000(H)       | 10    |
| 560-650-570    |                     | Forklift Truck, Pneumatic Tire, 6,500 LBS. Capacity | Hyster H65XM   | 4,000(H)       | 10    |
| 560-650-575    |                     | Forklift Truck, Pneumatic Tire, 8,000LBS. Capacity  | Nissan P80Y  | 4,000(H)       | 10    |
| 560-650-580    |                     | Forklift Truck, Pneumatic Tire, 9,000 LBS. Capacity | Nissan P90Y  | 4,000(H)       | 10    |
| 560-650-600    | 96R                 | Forklift Truck, Rough Terrain, 6,000 LBS. Capacity  | Case 586E, Caterpillar RC60, John Deere 486E, Dixie DMH 6 PT, JCB 930, Liftking LK6000, Lion Liftall M-60/MT-60, Master Craft MC605/RT/C 06-432, Sellick SG60, Viking VDF-6            | 4,000(H)       | 10    |
| 560-650-605    |                     | Forklift Truck, Rough Terrain, 5,000 LBS. Capacity  | Case 58E   | 4,000(H)       | 10    |
| 560-650-610    |                     | Forklift Truck, Rough Terrain, 5,200 LBS. Capacity  | JCB 926  | 4,000(H)       | 10    |
| 560-650-615    |                     | Forklift Truck, Rough Terrain, 8,000 LBS. Capacity  | Mastercraft RT/C 08-432, JCB 940   | 4,000(H)       | 10    |
| 560-650-620    |                     | Forklift Truck, Rough Terrain, 10,000 LBS. Capacity | Mastercraft RT/C10-432   | 4,000(H)       | 10    |
| 755-100-100    |                     | Asphalt Distributor Truck                           | Etnyre   | 8,000(H)       | 12    |
| 755-300-100    |                     | Paver   | Mauldin, Cedar Rapids, Rayco   | 4,000(H)       | 12    |
| 760-060-100    |                     | Draglines   | Linkbelt LS-68/78, Little Giant, American  | 8,000(H)       | 12    |
| 760-300-100    |                     | Hydraulic Excavator                                 | Badger 460/888, Gradall G3W/880  | 8,000(H)       | 12    |
| 760-300-200    |                     | Hydraulic Excavator, Hoe Type                       | Caterpillar E-300, John Deere 892, Liebherr R942   | 8,000(H)       | 12    |
| 760-360-050    | 67                  | Compact Motor Grader, Articulated, 75 HP            | Champion C60A  | 7,000(H)       | 12    |
| 760-360-055    |                     | Compact Motor Grader, Articulated, 76 HP            | Champion C70A  | 7,000(H)       | 12    |
| 760-360-100    | 68                  | Motor Grader, Articulated, 125/135 HP               | Caterpillar 120G, John Deere 670B, Dresser A-450E, Champion 710A   | 7,000(H)       | 12    |
| 760-360-150    | 68                  | Motor Grader, Articulated, 14 Foot Blade, 140HP     | Champion 720A  | 7,000(H)       | 12    |
| 760-460-100    |                     | Skid Steer Loader, Diesel, 1,700 LBS. Capacity      | New Holland LS170/LX665, Case 1845C  | 3,000(H)       | 8     |
| 760-460-105    |                     | Skid Steer Loader, Diesel, 1,400 LBS. Capacity      | Case 1840  | 3,000(H)       | 8     |
| 760-460-110    |                     | Skid Steer Loader, Diesel, 2,400 LBS. Capacity      | New Holland LS 180/LX865   | 3,000(H)       | 8     |
| 760-460-115    |                     | Skid Steer Loader, Diesel, 2,400 LBS. Capacity      | New Holland LS180/LX885  | 3,000(H)       | 8     |
| 760-480-100    | 69                  | Wheel Loader 2.0 Cu. Yd., 110 HP                    | Case W-20/621B, Caterpillar G926/928G, Daewoo Mega 200/m200-III, John Deere 544H, Fiatallis FR120, John Deere 544, Kawasaki 65Z IV, Komatsu WA 250-1, Samsung SL120-2, Hyundai HL740-3 | 6,000(H)       | 10    |
| 760-480-102    | 69D                 | Wheel Loader, 2.5 Cu. Yd., 125 HP                   | Case 621C  | 6,000(H)       | 10    |
| 760-480-120    |                     | Wheel Loader, 3.0 Cu. Yd., 140 HP                   | Hyundai HL 750   | 6,000(H)       | 10    |
| 760-480-130    |                     | Wheel Loader, 3.0 Cu. Yd., 170 HP                   | Daewoo M250-III  | 6,000(H)       | 10    |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| <b>Commodity Code</b>                                       | <b>Former Spec. Number</b> | <b>Description</b>   | <b>Representative Models</b>  | <b>Miles or Hours</b> | <b>Years</b> |
|---|----------------------------|--|---|-----------------------|--------------|
| 760-480-150   |                            | Wheel Loader, Tool Carrier, 2.5 Cu. Yd., 130 HP            | Case 621 CXT  | 6,000(H)              | 10           |
| 760-480-155   |                            | Wheel Loader, Extended Reach, 2.5 Cu. Yd., HP              | 621 CXR   | 6,000(H)              | 10           |
| 760-480-160   |                            | Wheel Loader, 3.25 Cu. Yd., 152 HP                         | Case 721C   | 6,000(H)              | 10           |
| 760-480-165   |                            | Wheel Loader, Tool Carrier, 3.0 Cu. Yd., 152 HP            | Case 721 CXT  | 6,000(H)              | 10           |
| 760-480-170   |                            | Wheel Loader, Extended Reach, 3.25 Cu. Yd., 152 HP         | Case 721 CXR  | 6,000(H)              | 10           |
| 760-480-200   | 69A                        | Wheel Loader, 3.0 Cu. Yd., 170 HP                          | Case 821B, Caterpillar 950F, Daewoo Mega 300, John Deere 644G, Fiatallis FR 160.2, Kawasaki 80Z IV, Samsung SL180-2, Hyundai HL 760 | 6,000(H)              | 10           |
| 760-480-202   | 69 A-D                     | Wheel Loader, 3.5 Cu. Yd., 180 HP                          | John Deere 644H   | 6,000(H)              | 10           |
| 760-480-210   |                            | Wheel Loader, 5.1 Cu. Yd., 257 HP                          | Daewoo M400-III   | 6,000(H)              | 10           |
| <b><u>Construction/Industrial Equipment (continued)</u></b> |                            |  |   |                       |              |
| 760-480-250   |                            | Wheel Loader, 3.5 Cu. Yd., 187 HP                          | Case 821 CXR  | 6,000(H)              | 12           |
| 760-600-100   |                            | Rollers  | Hubber, Galion, Bros, Ferguson  | 4,000(H)              | 12           |
| 760-840-400   |                            | Hydraulic Excavator, Hoe Type, Crawler Mounted             | Case 9040B, Caterpillar 322L, John Deere 790E-LC, Fiatallis FX250 LC, Kobelco SK220LC, Komatsu PC 220LC-6, Samsung SE240LC-3        | 8,000(H)              | 12           |
| 760-840-410   |                            | Hydraulic Excavator, Hoe Type, Crawler Mounted             | Samsung SE210LC-3   | 8,000(H)              | 12           |
| 760-840-420   |                            | Hydraulic Excavator, Long Reach, Hoe Type, Crawler Mounted | Samsung SE210LC-3 Long Reach  | 8,000(H)              | 12           |
| 760-840-430   |                            | Hydraulic excavator, Long Reach, Hoe Type, Crawler Mounted | Samsung SE240LC-3 Long Reach  | 8,000(H)              | 12           |
| 760-840-440   |                            | Hydraulic Excavator, Hoe Type, Crawler Mounted             | Samsung SE280LC-2   | 8,000(H)              | 12           |
| 760-840-450   |                            | Hydraulic Excavator, Hoe Type, Crawler Mounted             | Samsung SE350LC-2   | 8,000(H)              | 12           |
| 760-840-460   |                            | Hydraulic Excavator, Hoe Type, Crawler Mounted             | Samsung SE450LC-2   | 8,000(H)              | 12           |
| 760-840-590   |                            | Hydraulic Excavator, Truck Mounted, 6x6                    | Badger 460 6x6  | 8,000(H)              | 12           |
| 760-840-600   |                            | Hydraulic Excavator, Truck Mounted, 6x6                    | Badger 460 6x6/1085C Cruz Air   | 8,000(H)              | 12           |
| 760-840-605   |                            | Hydraulic Excavator, Truck Mounted                         | Badger 450 Grademaster  | 8,000(H)              | 12           |
| 760-840-610   |                            | Hydraulic Excavator, Truck Mounted                         | Badger 670  | 8,000(H)              | 12           |
| 760-840-650   |                            | Hydraulic Excavator, Truck Mounted, 4x4                    | Gradall XL 3100 4X4/G3WD 4X4  | 6,000(H)              | 10           |
| 760-840-655   |                            | Hydraulic Excavator, Truck Mounted, 4x4                    | Gradall XL 3100 4X4 Commercial  | 6,000(H)              | 10           |
| 760-840-660   |                            | Hydraulic Excavator, Truck Mounted, 6x6                    | Gradall XL 4100 6x6   | 6,000(H)              | 10           |
| 760-840-670   |                            | Hydraulic Excavator, Truck Mounted, 6x6                    | Gradall LX 5100 6x6   | 6,000(H)              | 10           |
| 760-840-680   |                            | Hydraulic Excavator, Truck Mounted, 4x4                    | Gradall XL 2300 4X4   | 6,000(H)              | 10           |
| 760-900-100   | 40                         | Crawler Tractor, Light                                     | Caterpillar D-3, John Deere 450   | 5,000(H)              | 10           |
| 760-900-200   | 41                         | Crawler, Medium Light                                      | John Deere 550, Dresser TD-9, Caterpillar D-4   | 5,000(H)              | 10*          |
| 760-900-300   | 41F                        | Crawler Tractor, LGP, 74 HP                                | Caterpillar D-4/D3C LGP, John Deere 450G LGP, Dresser TD-9/TD-8H LGP, John Deere 550, Komatsu D31P-20                               | 5,000(H)              | 10*          |
| 760-900-310   | 41F                        | Crawler Tractor, Forestry, Low Ground Pressure, 90 HP      | John Deere 550G LGP   | 5,000(H)              | 10           |
| 760-900-330   |                            | Crawler Tractor, 130 HP                                    | Caterpillar D6MD6M XL, John Deere 750C, Komatsu D58E-1  | 5,000(H)              | 10           |
| 760-900-400   | 42                         | Crawler Tractor, Medium                                    | Caterpillar D-5, John Deere 650   | 5,000(H)              | 10*          |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| <b>Commodity Code</b> | <b>Former Spec. Number</b> | <b>Description</b>                           | <b>Representative Models</b>  | <b>Miles or Hours</b> | <b>Years</b> |
|-----------------------|----------------------------|--|---|-----------------------|--------------|
| 760-900-500           | 43                         | Crawler, Tractor, Heavy                      | Caterpillar D-6, John Deere 850   | 5,000(H)              | 10*          |
| 760-900-600           | 44F                        | Crawler Tractor, LGP, 140 HP                 | Caterpillar D-6, John Deere 850   | 5,000(H)              | 10*          |
| 760-960-100           | 65                         | Tractor Loader, Industrial, 55 HP            | Massey Ferguson 40E, Case 580K, John Deere 210C/410, Ford 545A/4400/New Holland 445D  | 4,000(H)              | 10           |
| 760-960-105           |                            | Tractor Loader, Industrial, 62 HP            | New Holland 545D  | 4,000(H)              | 10           |
| 760-960-110           | 66                         | Tractor Loader Backhoe, Industrial, 60/70 HP | Massey Ferguson 50E, John Deere 310C, Ford 555B, Caterpillar 416/416C, JCB 1400B/214 2 WD Series III, Case 580K/580M, New Holland LB75/555E | 4,000(H)              | 10           |
| 760-960-120           |                            | Tractor Loader Backhoe, Industrial, 80 HP    | Case 580M Turbo/580L Turbo, New Holland 575E  | 4,000(H)              | 10           |
| 760-960-130           |                            | Tractor Loader Backhoe, Industrial, 86 HP    | JCB 215E  | 4,000(H)              | 10           |
| 760-960-140           |                            | Tractor Loader Backhoe, Industrial, 89 HP    | New Holland 655E  | 4,000(H)              | 10           |
| 760-960-150           |                            | Tractor Loader Backhoe, Industrial, 92 HP    | JCB 215, New Holland, LB90  | 4,000(H)              | 10           |
| 760-960-160           |                            | Tractor Loader Backhoe, Industrial, 90 HP    | Case 580 Super M/580 Super L  | 4,000(H)              | 10           |
| 760-960-170           |                            | Tractor Loader Backhoe, Industrial, 98 HP    | New Holland 675E  | 4,000(H)              | 10           |
| 760-960-180           |                            | Tractor Loader Backhoe, Industrial 99 HP     | Case 590 Super m/590 Super L  | 4,000(H)              | 10           |
| 760-960-182           |                            | Tractor Loader Backhoe, Industrial, 106 HP   | New Holland LB 110  | 4,000(H)              | 10           |
| 765-180-100           |                            | Drill Rig Truck Mounted                      | Failing, CME  | 5,000(H)              | 12           |
| 765-180-200           |                            | Drill Rig ATV Mounted                        | Failing, CME  | 5,000(H)              | 12           |
| 765-180-300           |                            | Drill Rig Skid                               | Failing, CME  | 5,000(H)              | 12           |
| 765-840-100           |                            | Sweeper, Large                               | Mobil, Elgin, Tymco   | 5,000(H)              | 10           |
| 765-840-200           |                            | Sweeper, Parking Lot                         | Tennant   | 2,000(H)              | 5            |

**Florida Department of Management Services  
Division of Specialized Services**



**Minimum Equipment Replacement Criteria**

| Commodity Code  | Former Spec. Number | Description | Representative Models | Miles or Hours | Years |
|---|---------------------|-------------|-----------------------|----------------|-------|
| <p>* For Forestry Fire Fighting applications contact the Division of Specialized Services.</p> <p><b>EXCEPTION TO REPLACEMENT CRITERIA</b><br/>Equipment not meeting the mileage or age criteria may be replaced if the equipment is experiencing abnormal maintenance or operational characteristics, wrecked, burned or in poor condition. A fully explanation of exceptions must be included on Form MP 6301, Request for Purchase of Mobile Equipment.</p> <p><b>REPLACEMENT CRITERIA FOR EQUIPMENT WITH EXTENDED WARRANTY</b><br/>The minimum mileage or hour replacement criteria for equipment covered by an extended manufacturer's warranty shall be the miles or hours specified in the replacement criteria, or 90% of the miles or hours covered by the manufacturer's extended warranty, whichever is greater.</p> |                     |             |                       |                |       |